

QUALITY MEETS COMFORT

Fujitsu General has a long history of providing innovative products to improve home comfort. We've taken feedback from homeowners and industry professionals...added our high level of expertise, reliability, and support that we are known for worldwide...the result is a new unitary line of equipment that provides the ultimate in comfort, flexibility and efficiency.

F-SERIES AIR CONDITIONERS





- 20 SEER
- 2,3,4,5 Tons
- · EcoNet Enabled
- Modulating Scroll Compressor
- Hi & Lo Pressure Switches
- **DOE All Zones Compliant**

Limited Warranty**:

- Conditional Unit Replacement**: 5 Years
- Parts: 10 Years





- 17 SEER
- 2 5 Tons
- EcoNet Enabled
- 2-Stage Scroll Compressor
- Hi & Lo Pressure Switches
- DOE All Zones Compliant

Limited Warranty**:

- Conditional Unit Replacement**: 5 Years
- · Parts: 10 Years





- FO*17C-N
- 17 SEER • 2 - 5 Tons
- NON-Communicating
- 2-Stage Scroll Compressor
- · Hi & Lo Pressure Switches
- DOE All Zones Compliant

Limited Warranty**:

• Parts: 10 Years



- 16 SEER
- 2 5 Tons
- Scroll Compressor
- · Hi Pressure Switch
- DOE All Zones Compliant

Limited Warranty**:

· Parts: 10 Years



FO*140

- 14 SEER
- 1.5 5 Tons
- Scroll Compressor
- Hi Pressure Switch DOE SE Compliant
- 10 Year Warranty

Limited Warranty**:

· Parts: 10 Years



FO*130

- 13 SEER
- 1.5 5 Tons
- · Scroll Compressor
- · Hi Pressure Switch
- · DOE N Compliant

Limited Warranty**:

· Parts: 10 Years



FO*14C-W

- 14 SEER / 11.7 12.2 EER
- 1.5 5 Tons
- Scroll Compressor
- · Hi Pressure Switch
- DOE SW Compliant

Limited Warranty**:

· Parts: 10 Years

W-SERIES AIR CONDITIONERS



WA16

- 16 SEER
- 1.5 5 tons
- Painted louvered steel cabinet
- Easily accessible control box
- Grille/Motor mount for quiet fan operation
- **DOE All Zones Compliant**

Limited Warranty**:

· Parts: 5 Years



WA14

- 14 SEER
- 1.5 5 tons
- · Painted louvered steel cabinet
- Easily accessible control box
- · Grille/Motor mount for quiet fan operation
- DOE SE Compliant

Limited Warranty**:

· Parts: 5 Years



WA14-W

- 14 SEER / 11.7 12.2 EER
- 1.5 5 tons
- · Painted louvered steel cabinet
- Easily accessible control box
- · Grille/Motor mount for quiet fan operation
- · DOE SW Compliant

Limited Warranty**:

· Parts: 5 Years



13 SEER

- 1.5 5 tons
- · Painted louvered steel cabinet
- Easily accessible control box
- Grille/Motor mount for quiet fan operation
- · DOE N Compliant

Limited Warranty**:

· Parts: 5 Years

^{*}ENERGY STAR* compliant in certain matched systems. See applicable specification sheets for further details. Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR* requirements. Ask your contractor for details or visit energystar.gov.

^{**}Specific conditions apply and online registration is required. Refer to manufacturer product warranty card for standard warranty and specific details.

F-SERIES HEAT PUMPS





FO*20R

- 20 SEER
- 2,3,4,5 Tons
- **EcoNet Enabled**
- Modulating Scroll Compressor
- · Hi & Lo Pressure Switches
- **Advanced Demand Defrost**
- DOE All Zones Compliant

Limited Warranty**:

- Conditional Unit Replacement**: 5 Years
- Parts: 10 Years



FO*16R

- 16 SEER
- 2,3,4,5 Tons
- · 2-Stage Scroll Compressor
- Hi & Lo Pressure Switches
- · Demand Defrost
- DOE All Zones Compliant

Limited Warranty**:

· Parts: 10 Years



FO*15R

- 15 SEER
- 1.5 5 Tons
- Scroll Compressor
- Hi & Lo Pressure Switches
- · Demand Defrost
- DOE All Zones Compliant

Limited Warranty**:

· Parts: 10 Years



FO*14R

- 14 SEER
- 1.5 5 Tons
- Scroll Compressor
- Hi & Lo Pressure Switches
- · Demand Defrost
- DOE All Zones Compliant

Limited Warranty**:

· Parts: 10 Years



FO*14R-F

- 14 SEER
- 1.5 5 Tons
- Dual Fuel Compatible
- · (Can Be Used With PSC Motor Indoor Unit or Loose Coil)
- · Scroll Compressor
- Hi & Lo Pressure Switches
- Demand Defrost
- · DOE All Zones Compliant

Limited Warranty**:

· Parts: 10 Years

W-SERIES HEAT PUMPS



WP14

- 14 SEER
- 1.5 5 Tons
- Hi and low pressure control
- Easily accessible control box
- **Demand Defrost Control**
- DOE All Zones Compliant Limited Warranty**:

· Parts: 5 Years

INDOOR COILS



FCC

- 1.5 5 Tons
- · AC or HP Compatible
- · TXV or EEV Models
- · Aluminum "N" Coil

Limited Warranty**:

· Parts: 10 Years



- Multi-Position
- Thermal Set Drain Pan

ULTRA HIGH EFFICIENCY GAS FURNACES









FF***LM98

- 98% AFUE
- 60,70,85,100,115 MBH
- Variable Speed ECM FER-Compliant Blower
- · Modulating Gas Valve
- · EcoNet Enabled
- Direct Spark Ignition
- · Upflow Only
- Aluminized Steel Heat Exchanger
- Water Management System

Limited Warranty**:

- Conditional Unit Replacement**: 5 Years
- Parts: 10 Years
- Heat Exchanger: Limited Lifetime





C EcoNet

FF***LM97

- 97% AFUE
- 60,70,85,100,115 MBH
- Variable Speed ECM FER-Compliant Blower
- Modulating Gas Valve
- **EcoNet Enabled**
- Direct Spark Ignition
- Downflow/Horizontal Aluminized Steel Heat Exchanger
- Water Management System

Limited Warranty**:

- Conditional Unit Replacement**: 5 Years
- Parts: 10 Years
- Heat Exchanger: Limited Lifetime





- FF***LT96
- 96% AFUE
- 40,60,70,85,100,115 MBH Variable Speed ECM FER-
- Compliant Blower
- 2-Stage Gas Valve
- **EcoNet Enabled**
- Direct Spark Ignition
- Multi-Position Aluminized Steel Heat
- Exchanger Water Management

System Limited Warranty**:

- Parts: 10 Years
- Heat Exchanger: Limited Lifetime



- FF***TT96
- 96% AFUE
- 40,60,70,85,100,115 MBH · Constant Torque FER-
- Compliant Blower
- · 2-Stage Gas Valve
- · Direct Spark Ignition

Exchanger

- · Multi-Position · Aluminized Steel Heat
- Water Management

System

- Limited Warranty**: • Parts: 10 Years
- · Heat Exchanger: Limited Lifetime



FF***TS95

- 95% AFUE • 40,60,70,85,100,115 MBH
- · Constant Torque FER-Compliant Blower
- · 1-Stage Gas Valve
- · Direct Spark Ignition
- · Multi-Position · Aluminized Steel Heat

Water Management System

Limited Warranty**:

Exchanger

· Parts: 10 Years · Heat Exchanger: Limited Lifetime

*ENERGY STAR" compliant in certain matched systems. See applicable specification sheets for further details. Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR" requirements. Ask your contractor for details or visit energystar.gov.

**Specific conditions apply and online registration is required. Refer to manufacturer product warranty card for standard warranty and specific details.

HIGH EFFICIENCY GAS FURNACE STANDARD EFFICIENCY GAS FURNACES



FF***TS92

- 92% AFUE
- 40,60,70,85,100,115 MBH
- Constant Torque FER-Compliant
- 1-Stage Gas Valve
- · Direct Spark Ignition
- Multi-Position
- · Aluminized Steel Heat Exchanger
- Water Management System

Limited Warranty**:

- Parts: 10 Years
- · Heat Exchanger: 20 Years



FF***LT80

• 80% AFUE

50,75,100,125 MBH

2-Stage Gas Valve

• Direct Spark Ignition

• LoNox Versions Available

Conditional Parts: 10 Years

• Heat Exchanger: 20 Years

· EcoNet Enabled

Only Models

Limited Warranty**:

Variable Speed ECM FER-Compliant

Upflow/Horizontal or Downflow

Aluminized Steel Heat Exchanger

EcoNet®

LT80D

Downflow-

FF***LS80Z

- 80% AFUE
- Southern California Air Quality Management District Ultra-LoNOx Compliant (no mitigation fee)
- 50,70,100 MBH
- Variable-Speed ECM FER-Compliant Blower
- 1-Stage Gas Valve
- Direct Spark Ignition
- Upflow/Horizontal
- · Aluminized Steel Heat Exchanger
- 10 Year Warranty

Limited Warranty**:

- · Parts: 10 Years
- · Heat Exchanger: 20 Years



FF***TS80Z

- 80% AFUE
- · Southern California Air Quality Management District Ultra-LoNOx Compliant (no mitigation fee)
- 50,70,100 MBH
- Constant Torque FER-Compliant Blower
- 1-Stage Gas Valve
- Direct Spark Ignition
- Upflow/Horizontal
- · Aluminized Steel Heat Exchanger

Limited Warranty**:

- · Parts: 10 Years
- Heat Exchanger: 20 Years



FF***TS80

Blower

1-Stage Gas Valve

Only Models

• Direct Spark Ignition

80% AFUE

Upflow TŚ80M

50,75,100,125,150 MBH

Constant Torque FER-Compliant

Upflow/Horizontal or Downflow

· Aluminized Steel Heat Exchanger

• LoNox Versions Available



Downflow-TS80D



Upflow-CS80M



Downflow-CS80D

FF***CS80

- 80% AFUE
- 50,75,100,125 MBH
- Constant Torque FER-Compliant Blower
- 1-Stage Gas Valve
- Direct Spark Ignition
- Upflow/Horizontal or Downflow Only Models
- · Aluminized Steel Heat Exchanger
- LoNox Versions Available

Limited Warranty**:

- · Parts: 10 Years
- Heat Exchanger: 20 Years



Upflow-TŤ80M



Downflow-TTROD

FF***TT80

- 80% AFUE
- 50,75,100,125,150 MBH
- Constant Torque FER-Compliant Blower
- 2-Stage Gas Valve
- **Direct Spark Ignition**
- Upflow/Horizontal or Downflow Only Models
- · Aluminized Steel Heat Exchanger
- · LoNox Versions Available

Limited Warranty**:

- · Parts: 10 Years
- Heat Exchanger: 20 Years

· Parts: 10 Years • Heat Exchanger: 20 Years **AIR HANDLERS**

Limited Warranty**:





FH**ELV

- 2,3,5 Tons
- Variable Speed ECM Blower
- Modulating Capacity
- **EcoNet Enabled**
- · Aluminum "N" Coil
- EEV · Multi-Position

42 - 52" Tall Limited Warranty**:

Conditional Parts**: 10 Years





FH**TLT

- 2,3,4,5 Tons
- Variable-Speed Blower
- 2-Stage Capacity
- **EcoNet Enabled**
- Aluminum "N" Coil
- TXV
- · Multi-Position
- 42 52" Tall

Limited Warranty**:

· Conditional Parts**: 10 Years





FH**TTT

- 2,3,4,5 Tons
- Constant Torque Blower
- · 2-Stage Capacity
- · EcoNet Enabled
- · Aluminum "N" Coil
- TXV
- · Multi-Position
- 42 52" Tall

Limited Warranty**:

Conditional Parts**: 10 Years



FH**TTS

- 1.5 5 Tons
- Constant Torque Blower
- · Aluminum "N" Coil
- TXV
- Multi-Position
- 42 52" Tall

Limited Warranty**:

· Parts: 10 Years

ENERGY STAR compliant in certain matched systems. See applicable specification sheets for further details. Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR* requirements. Ask your contractor for details or visit energystar.gov. **Specific conditions apply and online registration is required. Refer to manufacturer product warranty card for standard warranty and specific details.

AIR HANDLERS, CONTINUED



FH**TPS

- 1.5 5 Tons
- PSC Blower
- Aluminum "N" Coil
- TXV
- Multi-Position
- 42 52" Tall

Limited Warranty**:

• Parts: 10 Years



FB**TT

- 1.5,2,2.5 Tons
- Constant Torque Blower
- TXV
- 35" Tall ("Shorty")

Limited Warranty**:

• Parts: 10 Years



FR**TTS

- 1.5,2,2.5, 3 Tons
- Constant Torque Blower
- TXV
- · Front or Bottom Return

Limited Warranty**:

· Parts: 10 Years



RF1I

- 1.5,2,2.5 Tons
- · PSC Blower
- Piston or TXV Models
- • 35" Tall ("Shorty")

Limited Warranty**:

· Parts: 10 Years

RESIDENTIAL AND BEYOND

Our packaged heating and cooling products are available in a variety of efficiencies to ensure you save energy while meeting your budget needs. Performance is ensured by reliable and quiet scroll compressors which feature less moving parts, microchannel aluminum coil technology which allows for better heat transfer with less refrigerant charge, and robust fan motors that discharge air up and away from your home.

PACKAGE AIR CONDITIONERS





RACA15

- Convertible Airflow
- 15 SEER
- 2 5 Tons
- Single and Three Phase
- Scroll Compressors
- Louvered Coil Protection
- · Electric Heat Options

Limited Warranty**:

Compressor:

- 10 Year Warranty (Single Phase)
- 5 Year Warranty (Three Phase)

Parts:

- 10 Year Warranty (Single Phase)
- 1 Year Warranty (Three Phase)



RACA14

- · Convertible Airflow
- 14 SEER
- 2 5 Tons
- Single and Three Phase
- Scroll Compressors
- Louvered Coil Protection
- · Electric Heat Options

Limited Warranty**:

Compressor:

- 10 Year Warranty (Single Phase)
- 5 Year Warranty (Three Phase)

Parts

- 10 Year Warranty (Single Phase)
- 1 Year Warranty (Three Phase)



RSPM (14 SEER)

- Dedicated Horizontal Airflow
- 14 SEER
- 2 5 Tons
- Single and Three Phase
- Scroll Compressors
- Louvered Coil Protection
- · Electric Heat Options

Limited Warranty**:

Compressor:

- 10 Year Warranty (Single Phase)
- 5 Year Warranty (Three Phase)

Parts.

- 10 Year Warranty (Single Phase)
- 1 Year Warranty (Three Phase)



RLPN-A/-C (14 SEER)

- 1 & 3 Phase
- -A Electro Mech Models
- -C 3 Phase DDC Models
- Scroll® Compressor
- Reheat Option Available
- Nominal Sizes: 3, 4, 5 Ton

Limited Warranty:

- Compressor 5 Years
- Parts 1 Year



RACCZR

- 1 and 3 Phase
- One-Stage Cooling (Two-Stage for 6 Ton Only)
- Nominal Sizes: 3, 4, 5, 6 Ton
- Industry Standard Curb

Limited Warranty:

- Compressor 5 Years
- Parts 1 Year



RACDZT

- Standard VFD and optional Reheat Technology
- Two-Stage Cooling
- Nominal Sizes: 7.5, 8.5, 10 & 12.5 Ton
- Industry Standard Curb

Limited Warranty:

- Compressor 5 Years
- Parts 1 Year



RACDZS

- Optional VFD and Reheat
- Technology
 Two-Stage Cooling
- Nominal Sizes: 7.5, 8.5, 10 & 12.5 Ton
- Industry Standard Curb

Limited Warranty:

- Compressor 5 Years
- Parts 1 Year



RACDZR

- Single-Stage Cooling
- Nominal Sizes: 7.5, 8.5, 10 & Ton
- Industry Standard Curb

Limited Warranty:

- Compressor 5 Years
- Parts 1 Year

^{*}ENERGY STAR* compliant in certain matched systems. See applicable specification sheets for further details. Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR* requirements. Ask your contractor for details or visit energystar.gov.

^{**}Specific conditions apply and online registration is required. Refer to manufacturer product warranty card for standard warranty and specific details.

PACKAGE AIR CONDITIONERS, CONTINUED



RLNL-B/-C/-G/-H

- · -B 3 Phase Electro Mech Models
- -C/-G/-H 3 Phase DDC Models
- · Nominal Sizes:
 - -B Models: 15, 17.5 & 20 Ton -C Models: 15, 17.5, 20 & 25 Ton
 - -G/-H Models: 15, 20 & 25 Ton
- · RLNL-G: Reheat models & features VFD Technology
- · RLNL-H: includes VFD Technology

Limited Warranty:

- Compressor 5 Years
- Parts 1 Year

PACKAGE GAS ELECTRIC



RGEA16

- · Convertible Airflow
- 16 SEER
- 2 5 Tons
- · 40,60,80,100 MBH Gas Heat
- Single and Three Phase
- FER-Compliant
- · Scroll Compressors
- · Louvered Coil Protection
- · Propane Convertible

Limited Warranty**:

Compressor:

- 10 Year Warranty (Single Phase)
- 5 Year Warranty (Three Phase)
- 10 Year Warranty (Single Phase)
- 1 Year Warranty (Three Phase)

Heat Exchanger:

- 10 Year Warranty (Single Phase)
- · 10 Year Warranty (Three Phase)

· 1 and 3 Phase

Limited Warranty:

• Parts - 1 Year

· One-Stage Cooling • Two-Stage Heating

• Nominal Sizes: 3, 4, 5, 6 Ton

• Industry Standard Curb

Compressor – 5 Years

• Heat Exchanger – 10 Years

RGECZR

RKPN-A/C (14 SEER)

- · 3 Phase Only
- · A Electro Mech Models
- · C 3 Phase DDC Models
- · Scroll® Compressor
- Nominal Sizes: 3,4,5 Ton

Limited Warranty:

- Compressor 5 Years
- Heat Exchanger 10 Years
- · Parts 1 Year





RGEA15

- · Convertible Airflow
- 15 SEER
- 2 5 Tons
- · 40,60,80,100 MBH Gas Heat
- Single and Three Phase
- FER-Compliant
- · Scroll Compressors
- · Louvered Coil Protection
- · Propane Convertible

Limited Warranty**:

Compressor:

- 10 Year Warranty (Single Phase)
- 5 Year Warranty (Three Phase)

Parts:

- 10 Year Warranty (Single Phase)
- 1 Year Warranty (Three Phase)

Heat Exchanger:

- 10 Year Warranty (Single Phase)
- 10 Year Warranty (Three Phase)

Compressor: • 10 Year Warranty (Single Phase)

- Parts:
- 10 Year Warranty (Single Phase)

- 10 Year Warranty (Three Phase)



RGEA14

RLRL-C/-H

• 3 Phase DDC Models

Limited Warranty:

· Parts - 1 Year

Compressor – 5 Years

· H includes VFD Technology · Scroll® Compressor

• Nominal Sizes: 15 & 20 Ton

- · Convertible Airflow
- 14 SEER
- 2 5 Tons
- · 40,60,80,100 MBH Gas Heat
- Single and Three Phase
- · FER-Compliant
- · Scroll Compressors
- Louvered Coil Protection
- · Propane Convertible

Limited Warranty**:

• 5 Year Warranty (Three Phase)

• 1 Year Warranty (Three Phase)

Heat Exchanger:

• 10 Year Warranty (Single Phase)



RKQN-A/-C (15 SEER)

- 1 & 3 Phase
- · -A Electro Mech Models
- -C 3 Phase DDC Models
- Scroll® Compressor
- Nominal Sizes: 3,4,5 Ton

Limited Warranty:

- Compressor 5 Years
- Heat Exchanger 10 Years
- · Parts 1 Year



RGEDZT

- Standard VFD and optional Reheat Technology
- Two-Stage Cooling
- Nominal Sizes: 7.5, 8.5, 10 & 12.5

Limited Warranty:

- Compressor 5 Years
- Heat Exchanger 10 Years
- · Parts 1 Year



RGEDZS

- Optional VFD and Reheat Technology
- Two-Stage Cooling
- Nominal Sizes: 7.5, 8.5, 10 & 12.5 Ton

Limited Warranty:

- Compressor 5 Years
- Heat Exchanger 10 Years
- Parts 1 Year

^{*}ENERGY STAR* compliant in certain matched systems. See applicable specification sheets for further details. Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR* requirements. Ask your contractor for details or visit energystar.gov. **Specific conditions apply and online registration is required. Refer to manufacturer product warranty card for standard warranty and specific details.

PACKAGE GAS ELECTRIC, CONTINUED



RGFD7R

- Single-Stage Cooling
- Nominal Sizes: 7.5, 8.5, & 10 Ton

Limited Warranty:

- Compressor 5 Years
- Heat Exchanger 10 Years
- Parts 1 Year





Direct Digital Control

RKNL-B/-C/-H

- -B 3 Phase Electro Mech Models
- -C/-H 3 Phase DDC Models
- · Nominal Sizes:
 - -B Models: 15, 17.5 & 20 Ton
- · -C Models: 15, 17.5, 20 & 25 Ton
- · Reheat models & features VFD Technology
- RKNL-H: Includes VFD Technology

Limited Warranty:

- Compressor 5 Years
- Heat Exchanger 10 Years
- Parts 1 Year

20 Ton



RKRL-C/-H

- 3 Phase DDC Models
- Scroll® Compressor
- Nominal Sizes: 15 20 Ton

Limited Warranty:

- Compressor 5 Years
- Heat Exchanger 10 Years
- Parts 1 Year

PACKAGE HEAT PUMPS



RQPM (14 SEER)

- **Dedicated Horizontal** Airflow
- 14 SEER
- 2 5 Tons
- Single and Three Phase (RQPM)
- Single Phase (RQRM)
- Scroll Compressors
- Louvered Coil Protection
- · Electric Heat Options

Limited Warranty**: Compressor:

- 10 Year Warranty (Single Phase)
- 5 Year Warranty (Three Phase)

Parts:

- 10 Year Warranty (Single Phase)
- 1 Year Warranty (Three Phase)



RQRM (15 SEER)

- Dedicated Horizontal Airflow
- 16 SEER
- 2 5 Tons
- Single and Three Phase (RQPM)
- Single Phase (RQRM)
- Scroll Compressors
- · Louvered Coil Protection
- · Electric Heat Options

Limited Warranty:

Compressor:

- 10 Year Warranty (Single Phase)
- 5 Year Warranty (Three Phase)

Parts:

- 10 Year Warranty (Single Phase)
- 1 Year Warranty (Three Phase)



RQPL (14 SEER)

- Convertible Airflow
- 14 SEER
- 2 4 Tons
- Single and Three Phase
- Scroll Compressors
- Louvered Coil Protection
- · Electric Heat Options

Limited Warranty**:

Compressor:

- 10 Year Warranty (Single Phase)
- 5 Year Warranty (Three Phase)

Parts:

- 10 Year Warranty (Single Phase)
- 1 Year Warranty (Three Phase)



RJPL-A/-C (14 SEER)

- 1 & 3 Phase
- · -A Electro Mech. Models
- -C 3 Phase DDC Models
- Scroll® Compressor
- Nominal Sizes: 3 5 Ton

Limited Warranty:

- Compressor 5 Years
- Parts 1 Year



RHPDZS

- Optional VFD Technology
- · Two-Stage Cooling
- Nominal Sizes: 7.5, 8.5, 10 & 12.5 Ton

Limited Warranty:

- Compressor 5 Years
- Parts 1 Year



RHPCZR

- · One-Stage Cooling (Two-Stage 6 Ton Only)
- Nominal Sizes: 3, 4, 5, 6 Ton

Limited Warranty:

- Compressor 5 Years
- Parts 1 Year

^{*}ENERGY STAR" compliant in certain matched systems. See applicable specification sheets for further details. Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR" requirements. Ask your contractor for details or visit energystar.gov.

^{**}Specific conditions apply and online registration is required. Refer to manufacturer product warranty card for standard warranty and specific details.

COMMERCIAL SPLIT AIR HANDLERS



RHGL/RGHN

- 3 Phase Models
- Cooling Operation Only
- Nominal Sizes: 7.5, 10, 15 & 20 Ton

Limited Warranty:

• Parts - 1 Year



RHGM

- · 3 Phase Models
- Cooling & Heat Pump Operation Only
- Nominal Sizes: 7.5 & 10 Ton

Limited Warranty:

• Parts – 1 Year



RHCLA

- AC Applications
- · 2-Stage VFD Blower
- 3 Drive Package Options
- 2-Pipe Applications Only
- Nominal Sizes: 7.5, 10, 12.5, 15 & 20 Ton

Limited Warranty:

· Parts - 1 Year



RHCLP

- HP Applications
- · 2-Stage VFD Blower
- 3 Drive Package Options
- 2-Pipe Applications Only
- Nominal Sizes: 7.5 & 10 Ton

Limited Warranty:

• Parts - 1 Year

COMMERCIAL SPLIT AIR CONDITIONERS





6.5 & 7.5 Ton

RACL

- 2-Stage Cooling
- 100% Scroll
- Louver Coil Protection
- External Gauge Ports
- · High and Low Pressure
- · Low Ambient
- Service Valves
- Nominal Sizes: 6.5. 7.5, 10, 12.5, 15 & 20 Ton

Limited Warranty:

- Compressor 5 Years
- Parts 1 Year

COMMERCIAL SPLIT HEAT PUMP



RPCL

- · 2-Stage Cooling
- 100% Scroll
- · Louver Coil Protection
- External Gauge Ports
- High and Low Pressure
- · Low Ambient
- Service Valves
- Nominal Sizes: 7.5 & 10 Ton

Limited Warranty:

- Compressor 5 Years
- Parts 1 Year

*ENERGY STAR" compliant in certain matched systems. See applicable specification sheets for further details. Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR" requirements. Ask your contractor for details or visit energystar.gov.

Distributed by:



FUJITSU GENERAL AMERICA, INC.

340 Changebridge Road Pine Brook, NJ 07058 Toll Free: (888) 888-3424

Local: (973) 575-0380 Email: hvac@fujitsugeneral.com

www.fujitsugeneral.com









^{**}Specific conditions apply and online registration is required. Refer to manufacturer product warranty card for standard warranty and specific details.